

IMS
ROBOTICS



Best **TOOLS**
for **CUTTERS**



■ MADE
■ IN
■ GERMANY

Thread: ISS IMS-Special thread
For your Sewer Rehab Robots:
IMS TURBO 4

EN

THREAD: ISS IMS-Special thread

IMS TURBO 4

Milling tools suitable for **CIPP, PVC** and **ROOTS**



Diamond cone milling tool

Field of application: Opening of laterals and inlet lines

Ø mm	Height mm	Segments	IMS-No.	Code-No.
40/20	47	16	015 01 241	21 49 40 160

Kardiam-BLACK-POWERLINE® Not for steel-reinforced concrete!



Diamond globe milling tool

Field of application: Opening of laterals and inlet lines

Ø mm	Height mm	Segments	IMS-No.	Code-No.
42	45	28 double	015 01 243	21 49 40 162

Kardiam-BLACK-POWERLINE® Not for steel-reinforced concrete!



Diamond globe milling tool - transparent -

Field of application: Opening of laterals and inlet lines

Ø mm	Height mm	Segments	IMS-No.	Code-No.
42	45	14 - 4 wings	015 01 203	21 49 40 345

Kardiam-BLACK-POWERLINE® Not for steel-reinforced concrete!



Diamond globe milling tool - transparent -

Field of application: Opening of laterals and inlet lines

Ø mm	Height mm	Segments	IMS-No.	Code-No.
50	57	30 - 6 wings	015 01 213	21 49 40 351

Kardiam-BLACK-POWERLINE® Not for steel-reinforced concrete!



Diamond globe milling tool - transparent -

Field of application: Opening of laterals and inlet lines

Ø mm	Height mm	Segments	IMS-No.	Code-No.
56	40	33 - 6 wings	015 01 242	21 49 40 161

Kardiam-BLACK-POWERLINE® Not for steel-reinforced concrete!




Diamond plate milling tool

Field of application: Opening of laterals and inlet lines, removes deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
63	27	24	015 01 215	21 49 40 165

Kardiam-BLACK-POWERLINE® Not for steel-reinforced concrete!



Carbide granulate globe milling tool

Field of application: Opening of laterals and inlet lines, removes deposits

Ø mm	Height mm	Grain size	IMS-No.	Code-No.
55	50	2,5/3,0	015 01 212	21 45 00 185

Milling tools suitable for **CONCRETE, VITRIFIED CLAY** and **DEPOSITS**



Diamond globe milling tool

Field of application: Preparatory milling of laterals,
Removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
48	47	21	015 01 202	21 49 70 109



Diamond globe milling tool

Field of application: Preparatory milling of laterals,
Removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
60	64	16	015 01 201	21 49 70 079



Diamond halfglobe milling tool

Field of application: Preparatory milling of laterals,
Removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
65	30	10	015 01 244	21 49 60 095

THREAD: ISS IMS-Special thread

IMS TURBO 4

Milling tools suitable for **CONCRETE, VITRIFIED CLAY** and **DEPOSITS**



Diamond cone milling tool

Field of application: Preparatory milling of laterals, removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
38/28	52	6	015 01 210	21 49 60 079



Diamond inflow pipe milling tool

Field of application: Preparatory milling of laterals, removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
53	30	8 DN100	015 01 211	21 49 60 082
85	33	12 DN250	015 01 200	21 49 60 080



Diamond inflow pipe milling tool - elastic/spring loaded -

Field of application: Preparatory milling of laterals, removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
85	35	12 DN250	015 01 214	21 49 60 092



Diamond mushroom shaped milling tool - elastic/spring loaded -

Field of application: Preparatory milling of laterals, removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
80	38	12 DN200	015 01 216	21 49 70 178
120	50	12 DN300	015 01 231	21 49 70 221



Diamond mushroom shaped milling tool - elastic/spring loaded-

Field of application: Preparatory milling of laterals, removal of intruding laterals and deposits

Ø mm	Height mm	Segments	IMS-No.	Code-No.
98	38	18 DN200	015 01 233	21 49 70 127
135	50	18 DN300	015 01 232	21 49 70 231

ACCESSORIES - ISS IMS-Special thread

IMS TURBO 4



Corundum grindstone

Field of application: Grinding of metal and cast iron pipes, removal of intruding obstacles

Ø mm	Borehole / Thread	Height mm	IMS-No.	Code-No.
80	ISS-IMS	30	015 01 207	21 50 00 133
80	22,2	27	015 01 154	21 50 00 102
90/110	ISS-IMS	57	015 01 208	21 50 00 134
90/110	22,2	53	015 01 155	21 50 00 101



Multifunctional key for changing the screw connection

(Corundum grindstone Ø 80 + Ø 90/110):

Total length mm	SW	Pins	IMS-No.	Code-No.
160	24	2	015 01 158	21 50 00 111



Extensions IMS-ISS-Special thread

Ø mm	Useful length mm	IMS-No.	Code-No.
24	30	015 01 209	21 50 00 132



Adapter: IMS-ISS-Special thread to 5/8"UNC

Ø mm	Useful length mm	IMS-No.	Code-No.
24	30	015 01 206	21 50 00 131



Adapter: IMS-ISS-Special thread to IMS-Micro/...

Ø mm	Useful length mm	IMS-No.	Code-No.
24	39	015 01 240	21 50 00 246

ACCESSORIES - ISS IMS-Special thread

IMS TURBO 4



Brushes

Field of application: Post-processing of inliner openings, removal of residual film, Cleaning, roughening work, ...

Brushes	Ø mm	Height mm	IMS-No.	Code-No.
Cup brushes	65	50	015 01 234	21 50 00 213
Cup brushes	80	70	015 01 204	21 50 00 214
Cup brushes	100	65	015 01 235	21 50 00 215



Round brush + Mounting

Field of application: Post-processing of inliner openings, removal of residual film, Cleaning, roughening work, ...

Brushes	Ø mm	Height mm	IMS-No.	Code-No.
Round brush	80	18	015 01 227	21 50 00 238
Mounting for round brush Ø80mm H18	30	42	015 01 220	21 50 00 242
Round brush	80	25	015 01 228	21 50 00 239
Mounting for round brush Ø80mm H25	30	49	015 01 221	21 50 00 243
Round brush	100	20	015 01 229	21 50 00 240
Mounting for round brush Ø100mm H20	38	47	015 01 225	21 50 00 244
Round brush	100	28	015 01 230	21 50 00 241
Mounting for round brush Ø100mm H28	38	50	015 01 226	21 50 00 245



Grinding wheel mounting IMS-ISS-Special thread to ø22,2


Ø mm	Useful length mm	IMS-No.	Code-No.
45	34	015 01 239	21 50 00 247

IMS

ROBOTICS

info@ims-robotics.de

ims-robotics.de



in cooperation with



Best **TOOLS** for **CUTTERS**

KARDIAM Diamantwerkzeuge GmbH
Claude-Dornier-Straße 17
D-88239 Wangen
GERMANY

Phone: +49 (0)7520-9515-0
Fax: +49 (0)7520-9515-29
info@kardiam.de
www.kardiam.de